

# RECOMMENDED LUBRICANTS FOR FEED MILLS



PROCESS	EQUIPMENT	LUBRICATION POINTS	OPERATING CONDITIONS	RECOMMENDED LUBRICANTS
Receiving	Chain conveyor	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Bucket elevator	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
Grinding	Drum Sieve	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Bag Filter & Suction Fan	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-220 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Belt feeder	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Hammer mill	Bearings	High vibratory loads, normal temperatures, dusty	BECHEM FA 67-220 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Screw conveyor	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Bucket elevator	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2

# RECOMMENDED LUBRICANTS FOR FEED MILLS (CONT'D)



PROCESS	EQUIPMENT	LUBRICATION POINTS	OPERATING CONDITIONS	RECOMMENDED LUBRICANTS
Mixing	Screw conveyor	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Horizontal batch mixer	Bearings	High loads, normal temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
		Gearbox	High load, dusty	BECHEM Staroil G 460
Mixing	Chain conveyor	Head and Tail end bearings	Normal loads and temperatures	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Bucket elevator	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Screw conveyor	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
Palletising	Cooling fan	Motor bearings	Normal loads and temperatures, dusty	BECHEM FA 67-220 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Extruder	Bearings	High load, normal temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Pallet Mill	Main bearings	High loads, normal temperatures, dusty	BECHEM FA 67-400 BECHEM Multiplex 23 BECHEM Alutherm B2
		Roller bearings	High loads, high temperatures (90 - 100°C), wet	BECHEM FA 67-400 BECHEM Multiplex 23 BECHEM Alutherm B2

# RECOMMENDED LUBRICANTS FOR FEED MILLS (CONT'D)



PROCESS	EQUIPMENT	LUBRICATION POINTS	OPERATING CONDITIONS	RECOMMENDED LUBRICANTS
Palletising	Pallet Mill	Gearbox (CPM models only)	High loads, dusty	BECHEM Staroil 460 BECHEM Berusynth GP320
	Pallet Crumbler	Bearings	High loads, normal temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Bucket elevators	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
Packing	Screw conveyor	Bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Pellet sieve	Vibrating motor bearings	High vibratory load, dusty	BECHEM FA 67-220 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
	Belt conveyor	Head and Tail end bearings	Normal loads and temperatures, dusty	BECHEM FA 67-400 BECHEM L474-2 BECHEM Multiplex 23 BECHEM Alutherm B2
Utility	Rotary screw compressor			BECHEM LV 46 or 68
	Piston compressor			BECHEM LV 100 or 150