



我们的产品

Our Products

2009

中国大型硬齿面齿轮装备、开发、制造基地
The national base of research, development and manufacture of large-scale hard flank gear



把NGC打造成为世界一流品牌

Aiming at World Top-ranking Brand

C 目录 Contents

产品系列 Product Series 03

主要产品 Major Products 07

主要设备 Major Equipments 21



南京高精传动设备制造集团有限公司
Nanjing High Accurate Drive Equipment Manufacturing Group Co., Ltd.



南京高精传动设备制造集团有限公司，是中国齿轮行业大型骨干企业。由小行公司、江宁制造、宁江公司、宁凯公司、高精风能公司以及宁嘉公司等组成。南高齿的主导产品分为八大系列，其中大多数产品获得国家级高新技术产品证书和名牌产品称号。

Nanjing High Accurate Drive Equipment Manufacturing Group Co., Ltd., a national backbone enterprise in the gear industry of China. It consists of Xiaohang Company, Jiangning Manufacturing, Ningjiang Company, Ningkai Company, Gaojing Wind Energy Company, Ningjia Company and several other companies. NGC's major products are divided into 8 series. Most of the products have obtained certificates of high & new technology products issued by central government, and have been named as National Famous Brand Product.



产品系列 Product Series

高速系列齿轮箱 High-speed Series Gearbox

HS高速系列齿轮箱
HS series high-speed gearbox
NHS中高速系列齿轮箱
NHS series medium and high-speed gearbox
NGGS系列新一代高速齿轮箱
NGGS series high-speed gearbox (new generation)

建材用齿轮箱 Gearbox for Construction Material

MLX 立式磨机齿轮箱
MLX Gearbox for vertical mill
MFY 中心传动磨机减速机
MFY Gear reducer for central driving mill
MBY 边缘传动磨机减速机
MBY Gear reducer for side driving mill
GYM 辊压机用行星减速器
GYM planetary reducer for rolling press
PV、RV搅拌机
PV、RV mixer
选粉机
Powder separator
齿轮减速机
Gear reducer

冶金行业棒线材轧机 板材轧机齿轮箱 Gearbox for Bar-rolling, Wire-rolling and Plate-rolling Mill

板材轧机主传动齿轮箱
Main driving gearbox for plate-rolling mill
棒材轧机主传动齿轮箱
Main driving gearbox for bar-rolling mill
高速线材精轧机齿轮箱
Gearbox for high-speed line wire-rolling mill
地下卷取减速机
Down coiler reducer
飞剪
Flying shear
立辊齿轮箱
Vertical rolling mill gearbox
有色金属齿轮箱
Gearbox for rolling mill of non-ferrous metal

风力发电系列产品 Wind Turbine Generator Series

200千瓦、250千瓦、300千瓦、600千瓦、
660千瓦、800千瓦、1400千瓦
200KW, 250 KW, 300 KW, 600 KW, 660 KW,
800 KW, 1400 KW
1500千瓦至3300千瓦正在研制中
1500KW-3300KW under R&D

通用齿轮箱

General Purpose Gearbox

PR硬齿面齿轮减速箱
PR hard flank gear reducer
YNK硬齿面齿轮箱
YNK hard flank gearbox
DNK点线啮合齿轮箱
DNK point to line meshing gearbox
行星减速箱
Planetary gear reducer

联轴器产品

Coupling Products

高速齿式联轴器
High-speed tooth coupling
鼓形齿联轴器
Crown gear coupling
膜片联轴器
Diaphragm coupling

其他

Others

机车齿轮
Locomotive gear
船用齿轮
Marine gear
榨糖机齿轮箱
Gearbox for sugar press
螺杆升降机
Screw lifting device
非标齿轮箱
Non-standard gearbox

起重机减速器系列

Gearbox for Lifting Machine Series

QJY起重机减速器
QJY gearbox for lifting machine
QJYX起重机减速器
QJYX gearbox for lifting machine

橡塑机械齿轮箱

Gearbox for Rubber&Plastic Machinery


密炼机齿轮箱
Gearbox for banbury rubber mixer
开炼机齿轮箱
Gearbox for roller rubber mill



高速系列齿轮箱



High-speed
Series Gearbox



高速系列齿轮箱广泛应用于发电、冶金、石化、航天和科研等领域，主要包括HS高速系列齿轮箱、MHS中高速系列齿轮箱和NGGS系列新一代高速齿轮箱。

Including HS series high-speed gearbox, MHS series medium and high-speed gearbox and new generation NGGS series high-speed gearbox, high-speed series gearbox are widely employed in many fields, such as electricity, metallurgy, petrochemicals, aviation and scientific research.

HS高速、MHS中高速系列齿轮箱
HS series high-speed gearbox,
MHS series medium and high-speed gearbox

	HS高速系列 HS Series	MHS中高速系列 MHS Series
传动比 Ratio	1~8	1~5.5
传输功率 (千瓦) Transmission Power (KW)	至40000 To 40000	至12000 To 12000
输入转速 (转/分) Input Revolution (r/m)	至2000 To 2000	至1000 To 1000
最大切线速度 (米/秒) PLV Max (m/s)	150	75




NGGS系列新一代高速齿轮箱

中心距 (毫米) : 150~1000
最大传递功率 (千瓦) : 55000
最大输出转速 (转/分) : 67000
最大切线速度 (米/秒) : 176

New generation NGGS series high-speed gearbox

Center Distance (mm) : 150~1000
Max. Transmission Power (KW) : 55000
Max. Output Speed (r/m) : 67000
PLV Max (m/s) : 176



NGGS系列新一代高速齿轮箱
New generation NGGS series high-speed gearbox



冶金行业棒线材和 板材轧机齿轮箱



Gearbox
for
Bar-rolling,
Wire-rolling
and
Plate-rolling Mill



冶金棒线材轧机及板材轧机齿轮箱主要包括板材轧机主传动齿轮箱、棒材轧机主传动齿轮箱、飞剪、高速线材精轧机齿轮箱等，曾在国内外多个项目中投入使用。

Gearbox for bar-rolling, wire-rolling and plate-rolling mill includes mainly main driving gearbox for plate-rolling mill, main driving gearbox for bar-rolling mill, gearbox for high-speed fine wire-rolling mill, flying shears and others. They have been applied in many domestic or overseas projects.

地下卷取机
Down coiler



棒线材轧机齿轮箱

最大输出扭矩 (千牛米) : 650
最大传递功率 (千瓦) : 2500
最大输入转速 (转/分) : 1500

Gearbox for bar and wire-rolling mill

Max. Output Torque (KNm) : 650
Max. Transmission Power (KW) : 2500
Max. Input Revolution (r/min) : 1500



江阴钢厂棒材轧机齿轮箱
Gearbox for bar-rolling mill employed
in Jiangyin Iron Plant



高速线材精轧机齿轮箱
Gearbox for high-speed fine wire-rolling mill





宝钢1420薄板主轧

可轧制用于易拉罐的0.18毫米厚薄板

1420 thin plate main mill for Baoshan Steel

It has a capacity of producing 0.18mm plate for tins.



唐钢轧机齿轮箱

Gearbox for plate-rolling mill
employed in Tangshan Iron & Steel



本溪钢厂轧机齿轮箱

重量 (吨): 186

Gearbox for plate-rolling mill
employed in Benxi Iron & Steel

Weight (T): 186

太钢人字齿轮座
Gear seat like "人" for Taiyuan Iron & Steel



江阴钢厂轧机齿轮箱
Gearbox for plate-rolling mill
employed in Jiangyin Iron & Steel



邢钢棒线材轧机
Bar and wire-rolling mill
for Xingtai Iron & Steel





带剪
Strip shears



飞剪
Flying shears



南钢热轧
重量 (吨) : 165

**Hot plate-rolling mill
for Nanjing Iron & Steel**
Weight (T) : 165

宝钢1550板材轧机
1550 plate-rolling mill
for Baoshan Steel



武钢二热轧板材轧机
重量 (吨) : 94

Hot plate-rolling mill
for Wuhan Iron & Steel
Weight (T) : 94



鞍钢2150轧机齿轮箱
重量 (吨) : 131


2150 gearbox for plate-rolling mill
employed in Anshan Iron & Steel
Weight (T) : 131



建材用齿轮箱



Gearbox
for
Construction
Material



建材用齿轮箱系列产品包括立式磨机齿轮箱、中心传动磨机减速机、边缘传动磨机减速机、MXL辊压机用行星减速器、PV、RV搅拌机、选粉机、齿轮减速机等。其中数十台机型出口到多个国家。

This series includes gearbox for vertical mill, gear reducer for central driving mill, gear reducer for side driving mill, MXL planetary reducer for rolling press, PV/RV mixer, powder separator and gear reducer. Dozens of them have been exported to several foreign countries.

MLX系列立式磨机齿轮箱

传动比: 20~45
最大传递功率(千瓦): 6000
齿轮精度(级): 6
主要客户: 合肥水泥设计院、北电
天津水泥设计院、上重

MLX series gearbox for vertical mill

Ratio: 20~45
Max. Transmission Power (KW): 6000
Gear Precision (rank): 6
Major Customers: Hefei cement research&design institute etc.
Beijing power equipment group
Tianjin cement industry design & research institute Co., Ltd
Shanghai zhongxing jiqi chang Co., Ltd



MFY、MFYX系列中心传动磨机减速机

MFY, MFYX series gear reducer for central driving mill

	MFY系列 MFY Series	MFYX系列 MFYX Series
输出转速(转/分) Output Revolution (r/m)	14.5~19.8	14.5~17.1
传输功率(千瓦) Transmission Power (KW)	800~5600	1600~5600
输入转速(转/分) Input Revolution (r/m)	600~700	740~1000
重量(吨) Weight (T)	21~88	37~79



MBY边缘传动磨机减速机

传动比: 4~7.1
最大传递功率(千瓦): 7600
齿轮精度(级): 6
最高转速(转/分): 1500
中心距: 400~1100
主要客户: 海安、鹏飞、同力

MBY gear reducer for side drive mill

Ratio: 4~7.1
Max. Transmission Power (KW): 7600
Gear Precision (rank): 6
Max. Revolution (r/m): 1500
Center Distance: 400~1100
Major Customers: Haian, Pengfei, Tongli



中速磨煤机用ZSJ-2800减速箱

最大传递功率(千瓦): 396
传动比: i=37.29

Gear reducer ZSJ-2800 for mid speed coal pulverizer

Max. Transmission Power (KW): 396
Ratio: i=37.29





三环减速器
Three-ring reducer

类型 Model	名称 Item	传动比 Ratio	输出转矩(牛米) Output Torque(NM)	输出转速(转/分) Output Revolution(r/m)	中心距 Center Distance
SH	一级三环减速器 Three-ring type gear reducer of one stage	11~99	至400000 To 400000	至1500 To 1500	80~1070
SHC	一级三环减速器 Three-ring type gear reducer of one stage	50~550	至400000 To 400000	至1500 To 1500	205~1710
SHS	锥齿二级三环减速器 Bevel gear three-ring type gear reducer of two stages	33~500	至400000 To 400000	至1500 To 1500	
SHS	二级三环减速器 Three-ring type gear reducer of two stages	至9801 To 9801	至400000 To 400000	至1500 To 1500	



NGC系列水泥搅拌运输车齿轮箱

搅拌筒容积(立方米): 3~12
输入转速(转/分): 0~3000
最大输出摆角(度): 5

NGC series gear drives for truck mixer

Drum Volume CBM (m³): 3~12
Input Revolution (r/m): 0~3000
Max. Oscillation Angle (Degree): 5



NLX系列选粉机立式齿轮减速机
NLX series vertical gear reducer for powder separator

型号 Model	NLX							
	25T	50T	100T	150T	150	200	250	300
电机功率(千瓦) Motor Power (KW)	25	45	75	90	100	125	160	
传动比 Ratio	2.5	4	4.6	5.5	6.26	7.16	7.87	8.8
选粉机型号 Powder Separator Model	N205	N500	N1000	N1500	N2000	N2500	N3000	

橡塑机械齿轮箱 Gearbox for Rubber & Plastic Machinery

XSM系列橡塑密炼机主减速机

传递功率(千瓦): 22~3000

输出转速(转/分): 15~75

主要配套规格(名义炼胶容积): XSM1.5~650

XSM Series main reduces for internal mixer

Transmission Power(KW): 22~3000

Output Revolution(r/m): 15~75

Main Fixed Size(Screw Dia): XSM1.5~650



XSK型开炼机主减速机

传递功率(千瓦): 37~355

输出转速(转/分): 11~30

主要配套规格(滚筒直径): XSK360~710

XSK Series Main Reducer For open-type mixing mills

Transmission Power(KW): 37~355

Output Revolution(r/m): 11~30

Main fixed Size(Rolling Dia): 360~710



XSJY型挤出压片机主减速机

传递功率(千瓦): 18.5~250

输出转速(转/分): 16~30

主要配套规格(螺杆直径): XSJY160~450

XSJY Series Main Reducer For Bipyrarnid Twin Screw Extruders & Calenders

Transmission Power(KW): 18.5~250

Output Revolution(r/m): 16~30

Main Fixed Size(Screw Dia): XSJY160~450



XSJ、XDJ型挤出机齿轮箱

传递功率(千瓦): 18~500

输出转速(转/分): 20~160

主要配套规格(螺杆直径): XSJ50~300

XSJ、XDJ Series Reducer For extruders

Transmission Power(KW): 18~500

Output Revolution(r/m): 20~160

Main Fixed Size(Screw Dia): XSJ50~300



风力发电系列产品



Wind Turbine
Generator Series



南高齿是国内生产风力发电齿轮箱的专业厂家之一。截至目前已生产200千瓦、250千瓦、300千瓦、600千瓦、660千瓦、800千瓦和1400千瓦等多种风力发电机型增速齿轮箱，1500千瓦至3300千瓦风电齿轮箱正在研制中。

NGC is one of the major manufacturers of wind turbine generator gearbox in China. It has already produced many speed increasing gearboxes for wind turbine generator of 200KW, 250KW, 300KW, 600KW, 660KW, 800KW and 1400KW. The wind power gearbox of 1,500-3,300 KW is under R&D.

我公司生产安装在南澳风电场的300KW风力发电机组
The 300KW wind turbine generator applied in NanAo wind plant

型号 Model	FD300
额定功率(千瓦) Rated Power (KW)	300
输入转速(转/分) Input Revolution (r/m)	34
输出转速(转/分) Output Revolution (r/m)	1518
增速比 Increase Speed Rate	44.66
额定扭矩(千牛米) Rated Torque (KNM)	84
重量(千克) Weight (KG)	4650



为上海申新600KW机组配套的风电齿轮箱
The incorporated wind turbine gearbox made for 600KW generator group of Shanghai Shenxin(FD645J)

型号 Model	FD645J
额定功率(千瓦) Rated Power (KW)	645
输入转速(转/分) Input Revolution (r/m)	26.8
输出转速(转/分) Output Revolution (r/m)	1517
增速比 Increase Speed Rate	56.51
额定扭矩(千牛米) Rated Torque (KNM)	230
重量(千克) Weight (KG)	9600



为丹麦Vestas生产的660KW风电机齿轮箱
660KW wind turbine gearbox made for Vestas Denmark (FD660)

型号 Model	FD660
额定功率(千瓦) Rated Power (KW)	660
输入转速(转/分) Input Revolution (r/m)	28.5
输出转速(转/分) Output Revolution (r/m)	1515
增速比 Increase Speed Rate	52.62
额定扭矩(千牛米) Rated Torque (KNM)	221
重量(千克) Weight (KG)	4250



为一拖-美德生产的660KW风电齿轮箱
660KW wind turbine gearbox made for Yi-To Made (FD660M)

型号 Model	FD660M
额定功率(千瓦) Rated Power (KW)	660
输入转速(转/分) Input Revolution (r/m)	25.5
输出转速(转/分) Output Revolution (r/m)	1518
增速比 Increase Speed Rate	59.54
额定扭矩(千牛米) Rated Torque (KNM)	247
重量(千克) Weight (KG)	7600





800千瓦风电齿轮箱
800KW wind turbine generator gearbox



1400千瓦风电齿轮箱
1400KW wind turbine generator gearbox

	FD200	FD250	FD300	FD600	FD660	FD825	FD1500
传输功率 (千瓦) Transmission Power (KW)	200	250	300	600	660	825	1500
输入转速 (转/分) Input Revolution (r/m)	42	43	34	33.5	28.5	22.3	19
输出转速 (转/分) Output Revolution (r/m)	1515	1000	1518	1516	1515	1503	1270
增速比 Increase Speed Rate	36.12	23.72	44.66	45.03	52.62	67.4	67.06
额定扭矩 (千牛米) Rated Torque (KNm)	45.6	56.5	84	171	221	350	750
重量 (千克) Weight (Kg)	1820	1950	4650	3200	4250	4500	12000



变桨
Screw lifting device



偏航
Screw lifting device

联轴器产品 Coupling Products

GSCL系列高速齿式联轴器

GSCL series high-speed tooth coupling

型号 Model	GSCLAD1-12	GSCLBS/D1-12	GSCLCD1-12	GSCLDD1-12
代码 Code	GSCLA	GSCLB	GSCLC	GSCLD
扭矩 (牛米) Torque(NM)	1080~113500			
最大转速 (转/分) Max. Revolution (r/m)	5000~30000			



NL鼓形齿联轴器

NL crown gear coupling


型号 Model	NLA	NLB	NLC / NLD
扭矩 (牛米) Torque(NM)	43~350000	79~1600	43~35000
允许偏差 (毫米) Allowance Error (mm)	+1 ~ +4	+1 ~ +1.5	+0.5 ~ +2
转速 (转/分) Revolution (r/m)	8000~530	2500~750	最高转速受套管或连接轴的临界转速和重量所限制 Max. rotation speed of coupling is limited by critical rotation speed of sleeve or connecting shaft and weight



膜片联轴器

Diaphragm coupling

	鼓形齿联轴器 Crown Gear Coupling	膜片联轴器 Diaphragm Coupling
许用角向补偿量 (度) Allowed Disalignment (Degree)	1.5	0.25~1
传输扭矩 (牛米) Transmission Torque (Nm)	630~400000	40~1000000
输入转速 (转/分) Input Revolution (r/m)	460~4000	至24000 To 24000



JB/ZQ-CL系列鼓形齿联轴器

许用角向补偿量 (度) : 1.5
传输扭矩 (牛米) : 630~400000
输入转速 (转/分) : 460~4000

JB/ZQ-CL Crown gear coupling

Allowed Disalignment (Degree) : 1.5
Transmission Torque (Nm) : 630~400000
Input Revolution (r/m) : 460~4000



通用齿轮箱



General Purpose
Gearbox



通用齿轮箱主要应用于冶金、矿山、化工、建材、起重等领域，包含PR硬齿面齿轮减速箱、YNK硬齿面齿轮箱、DNK点线啮合齿轮箱、行星减速箱等。

General purpose gearbox are commonly used in fields like metallurgy, mine, chemistry, construction and lifting, including PR hard flank gear reducer, YNK hard flank gearbox, DNK point line meshing gearbox and planetary gear reducer.

PR硬齿面齿轮减速箱

最大输出扭矩 (千牛米) : 890
最大传递功率 (千瓦) : 10000
最大输入转速 (转/分) : 1500
传动比 : 1~400

PR hard flank gear reducer

Max. Output Torque (KNm) : 890
Max. Transmission Power (KW) : 10000
Max. Input Revolution (r/m) : 1500
Ratio : 1~400



P系列模块化齿轮箱

P series standard gearbox



YNK硬齿面齿轮箱

最大输出扭矩 (牛米) : 730000
最大传递功率 (千瓦) : 8500
输入转速 (转/分) : 至1500
传动比 : 1~500

YNK hard flank gearbox

Max. Output Torque (NM) : 730000
Max. Transmission Power (KW) : 8500
Input Revolution (r/m) : To 1500
Ratio : 1~500



DNK点线啮合齿轮箱

最大输出扭矩 (牛米) : 530000
最大传递功率 (千瓦) : 5500
输入转速 (转/分) : 至1500
传动比 : 1~500

DNK point line meshing gearbox

Max. Output Torque (NM) : 530000
Max. Transmission Power (KW) : 5500
Input Revolution (r/m) : To 1500
Ratio : 1~500





NGW行星减速箱

传输功率 (千瓦) : 0.6~9989
 输入转速 (转/分) : 至1500
 传动比 : 4~1250

NGW planetary gear reducer

Transmission Power (KW) : 0.6~9989
 Input Revolution (r/m) : To 1500
 Ratio : 4~1250



DBY、DCY 系列通用齿轮箱

最大输出功率 (千瓦) : 2900
 输入转速 (转/分) : 至1500
 传动比 : 1~50

DBY, DCY series general purpose gearbox

Max. Output Power (KW) : 2900
 Input Revolution (r/m) : To 1500
 Ratio : 1~50



ZDY、ZLY、ZSY系列通用齿轮箱

最大输出功率 (千瓦) : 6700
 输入转速 (转/分) : 至1500
 传动比 : 1~100

ZDY,ZLY,ZSY series general purpose gearbox

Max. Output Power (KW) : 6700
 Input Revolution (r/m) : To 1500
 Ratio : 1~100

QJY系列起重机齿轮箱 QJY series gearbox for lifting machine

	QJY系列 QJY Series	QJ系列 QJ Series	DQJ系列 DQJ Series
传动比 Ratio	6.3~100	10~200	6.3~200
最大输出转矩 (千牛米) Max. Output Torque (KNm)	500	335	450
输入转速 (转/分) Input Revolution (r/m)	至1500 To 1500	至1500 To 1500	至1500 To 1500



起重机齿轮箱 Gearbox for lifting machine

	QJY系列 QJY Series	QJ系列 QJ Series	QJYX系列 QJYX Series
传动比 Ratio	6.3~400	10~200	6.3~200
最大传输转矩 (千牛米) Max. Transmission Torque (KNm)	500	335	450
输入转速 (转/分) Input Revolution (r/m)	1500	1500	1500



其他产品 Others



为GE公司研制生产的机车齿轮
Locomotive gear R&D for GE



榨糖机齿轮箱
Gearbox for sugar press



螺杆升降机
Screw lifting device

	单螺杆升降机 Single Screw Lifting Device	双螺杆升降机 Double Screw Lifting Device
传递功率 (千瓦) Transmission Power (KW)	22~510	17.5~250
主要配套规格 Main Fixed Size	50~250	200~450



我们不断增加研发投入，
加快新品开发速度，
提高产品质量，
快速回应客户需求的变化。

We keep enhancing R&D,
speeding up the development of new products,
upgrading product quality,
in response to the customers' demands at first time.

主要设备 Major Equipments

南高齿拥有主要生产设备653台，其中，各种进口高精密齿轮制造设备62台套。南高齿还建有6千平方米大型恒温防震精加工厂房，3千平方米恒温恒湿齿轮加工、检测车间。

NGC has 653 main equipments, among them there are 62 various imported equipments for high precision gear manufacturing. NGC has constructed a large constant temperature quakeproof finishing-machining workshop of 6000 square meters, and a constant temperature and constant wet gear-processing and testing workshop of 3000 square meters.

3.25米磨齿机
3.25M gear grinder



4米磨齿机
4M gear grinder



2.0 × 2.8m渗碳炉
2.0 × 2.8m carburizing furnace



4mm渗碳炉
4mm carburizing furnace



CK516数控立车
CK516 CNC vertical lathe



CK1463数控车床
CK1463 CNC lathe



德国莱兹三坐标计量仪
Large-scale coordinate measuring machine
from Leitz GmbH, Germany



HELIX700磨齿机
HELIX700 gear grinder



德国展成磨齿机群
Generating gear grinder group from Germany



齐齐哈尔落地镗床
Floor type boring machine from QIQIHAR





GKP锥齿轮啮合检查仪
GKP helical bevel gear meshing tester



斯科达镗床
Skoda boring machine



MK5116改造立式磨床
MK5116 vertical grinder machine (recast)



德国普法特高效数控滚齿机
High efficiency CNC hobbing machine
from Gleason-Pfauter, Germany

Y225锥齿轮铣齿机
Y225 bevel gear milling machine



德国进口5米滚齿机
Imported 5m hobbing machine from Germany



CKS6145数控车床
CKS6145 CNC lathe



大功率试验台
Large power test bench





SCHIESS 镗铣加工中心
Boring and milling
machining center ▶



◀ **PAMA 镗铣加工中心**
Boring and milling
machining center



◀ **中捷GMB龙门式加工中心**
Boring and milling machining center



◀ **东芝加工中心**
Toshiba machining center



◀ **喷丸机**
Peening machine



淬火压床 ▶
Quenching press

**我们不断引进国际先进设备，
满足高精产品生产的要求**



Importing advanced equipments continuously
to meet the demand of manufacturing high-precision products

南京高精传动设备制造集团有限公司
Nanjing High Accurate Drive Equipment Manufacturing Group Co., Ltd.

地址：中国南京中华门外小行
邮编：210012
电话：0086/25/52472093
传真：0086/25/52412731 52425696
网站：<http://www.cnngc.com>
电邮：xxzx@cnngc.com

Address: Zhonghuamenwai, Xiaohang, Nanjing, P.R.C.
Zip code: 210012
Tel: 0086/25/52472093
Fax: 0086/25/52412731 52425696
<http://www.cnngc.com>
E-mail: xxzx@cnngc.com